

## INDIAN INSTITUTE OF TECHNOLOGY PATNA DEPARTMENT OF CHEMISTRY

## **POWDER X-RAY DIFFRACTION (PXRD) FACILITY**

(GSTIN	: 10AAAAI2401	·	<u>ITION FORM</u> <u>USEI</u>	R DETAILS	LINIAL	Date:	
Name of Student:				Study (	Study (Ph.D/M.Tech/B.Tech):		
Student Contact No.:					Email ID:		
Name of Supervisor:  Department:				Design	Designation: Address:		
				Addres			
Name	of Institute/Inc	dustry/Others:					
	o. of Samples Su	bmitted: - 1 g quantity of s	15177	LE DETAILS	277		
SI.No.	Sample Code	Analysis Type (PXRD/GIXRD/ SAXS/HT-XRD)	Sample description (Powder/Thin film)	2θ-Range	Scan Time	Any other specific requirements	
	7 /	C7/				1.27.7	
	11111	7				1 - 1	
	1.0	/	No. N		-/-	1641	
			7		-74	1 (1)	
or High	Tomporaturo	(UT) VPD massu	romant. Hear ch	ould provid	0 1) TC A	data and Elemental information of	
User de	<b>claration:</b> I cert	•	of sample with rovided samples	HT-Strip (Pt are stable, I	, Ta, Grap Non-volat	hene) of instrument. ile, non-toxic and is non-radioactive	
<b>User de</b> by natu	<b>claration:</b> I cert	tify that all the pride(s) won't cause	of sample with rovided samples any danger to t	HT-Strip (Pt are stable, I he person(s)	, Ta, Grap Non-volat ) or equip Signature	hene) of instrument. ile, non-toxic and is non-radioactiv ment.	
User de by natur	claration: I cert re. These samp ure of the use	tify that all the prile(s) won't cause  r with date	of sample with rovided samples any danger to the samples to the samples to the samples to the samples and the samples and the samples are	HT-Strip (Pt are stable, I he person(s)	, Ta, Grap Non-volat ) or equip Signature	hene) of instrument. ile, non-toxic and is non-radioactiv ment. e of the Guide/P.I/HoD/ Manag (With seal)	
User de by natur	claration: I cert re. These samp ure of the use	tify that all the prile(s) won't cause  r with date	of sample with rovided samples any danger to the samples to the samples to the samples to the samples and the samples and the samples are	HT-Strip (Pt are stable, I he person(s)	, Ta, Grap Non-volat ) or equip Signature	hene) of instrument. ile, non-toxic and is non-radioactiv ment. e of the Guide/P.I/HoD/ Manago	
User de by natur Signatu Charges	claration: I cert re. These samp ure of the use for the measur at Patna	tify that all the price in the	y of sample with rovided samples any danger to the angle and the angle angle and the angle angle and the angle	HT-Strip (Pt are stable, I he person(s) S & BANK D n advance D	, Ta, Grap Non-volat ) or equip Signature DETAILS Demand D	hene) of instrument. ile, non-toxic and is non-radioactive ment.  e of the Guide/P.I/HoD/ Manag (With seal)  praft in favour of 'IIT Patna'	
Signatu Charges payable Postal A	claration: I cert re. These sampl ure of the use for the measur at Patna Address: HoD, D	tify that all the price le(s) won't cause rewith date  Department of Ch	y of sample with rovided samples any danger to the any danger through a demistry, IIT Patrong and any demistry, IIT Patrong and any danger through a	HT-Strip (Pt are stable, I he person(s) S & BANK D n advance D	, Ta, Grap Non-volat ) or equip Signature DETAILS Demand D	hene) of instrument. ile, non-toxic and is non-radioactiv ment. e of the Guide/P.I/HoD/ Manage (With seal) eraft in favour of 'IIT Patna'	
Signatu Charges Dayable Postal A	claration: I cert re. These samp  ure of the use for the measur at Patna Address: HoD, D s Type ( PXRD/G	tify that all the price in the	y of sample with rovided samples any danger to the any danger through a demistry, IIT Patrong and any demistry, IIT Patrong and any danger through a	HT-Strip (Pt are stable, I he person(s) S S BANK D n advance D	, Ta, Grap Non-volat ) or equip Signature DETAILS Demand D	hene) of instrument. ile, non-toxic and is non-radioactiv ment.  e of the Guide/P.I/HoD/ Manage (With seal)  raft in favour of 'IIT Patna'	
Charges Dayable Postal A Analysis No. of He	claration: I cert re. These samp ure of the user at Patna Address: HoD, D s Type ( PXRD/G ours	tify that all the price le(s) won't cause rewith date  Department of Ch	y of sample with rovided samples any danger to the any danger through a demistry, IIT Patrong and any demistry, IIT Patrong and any danger through a	HT-Strip (Pt are stable, I he person(s)  S	, Ta, Grap Non-volat ) or equip Signature DETAILS Demand D	hene) of instrument. ile, non-toxic and is non-radioactive ment.  e of the Guide/P.I/HoD/ Manag (With seal)  praft in favour of 'IIT Patna'	
Charges payable Postal A Analysis No. of He	claration: I cert re. These samp  for the uses at Patna Address: HoD, D s Type ( PXRD/G ours for charges	tify that all the price le(s) won't cause rewith date  Department of Ch	y of sample with rovided samples any danger to the any danger through a demistry, IIT Patrong and any demistry, IIT Patrong and any danger through a	HT-Strip (Pt are stable, I he person(s)  S  - & BANK D  n advance D  na, Bihta-802	, Ta, Grap Non-volat ) or equip Signature DETAILS Demand D 1106, Biha	hene) of instrument. ile, non-toxic and is non-radioactive ment.  e of the Guide/P.I/HoD/ Manag (With seal)  praft in favour of 'IIT Patna'	
Charges payable Postal A Analysis No. of He Amount GST@18	claration: I cert re. These samp  ure of the use at Patna Address: HoD, D s Type ( PXRD/G ours for charges %	tify that all the price le(s) won't cause rewith date  Department of Ch	y of sample with rovided samples any danger to the any danger through a demistry, IIT Patrong and any demistry, IIT Patrong and any danger through a	HT-Strip (Pt are stable, I he person(s)  S  - & BANK D  n advance D  na, Bihta-802	, Ta, Grap Non-volat ) or equip Signature DETAILS Demand D	hene) of instrument. ile, non-toxic and is non-radioactiv ment.  e of the Guide/P.I/HoD/ Manage (With seal)  raft in favour of 'IIT Patna'	
Charges payable Postal A Analysis No. of He Amount GST@18	claration: I cert re. These samp  ure of the use at Patna Address: HoD, D s Type ( PXRD/G ours for charges %	tify that all the price le(s) won't cause rewith date  Department of Ch	y of sample with rovided samples any danger to the any danger to the any danger to the any danger to the angle of the angl	HT-Strip (Pt are stable, I he person(s)  S  - & BANK D  n advance D  na, Bihta-802  DD No  DD Da  Bank I	, Ta, Grap Non-volat ) or equip Signature DETAILS Demand D 1106, Biha	hene) of instrument. ile, non-toxic and is non-radioactive ment.  e of the Guide/P.I/HoD/ Manag (With seal)  praft in favour of 'IIT Patna'	
Charges payable Postal A Analysis No. of He Amount GST@18	claration: I cert re. These samp  ure of the use at Patna Address: HoD, D s Type ( PXRD/G ours for charges %	tify that all the price le(s) won't cause rewith date  Department of Ch	y of sample with rovided samples any danger to the any danger to the any danger to the any danger to the angle of the angl	HT-Strip (Pt are stable, I he person(s)  S  - & BANK D  n advance D  na, Bihta-802	, Ta, Grap Non-volat ) or equip Signature DETAILS Demand D 1106, Biha	hene) of instrument. ile, non-toxic and is non-radioactive ment.  e of the Guide/P.I/HoD/ Manag (With seal)  praft in favour of 'IIT Patna'	
Charges payable Postal A Analysis No. of He Amount GST@18	claration: I cert re. These samp  ure of the use at Patna Address: HoD, D s Type ( PXRD/G ours for charges %	tify that all the price le(s) won't cause rewith date  Department of Ch	y of sample with rovided samples any danger to the any danger to the any danger to the any danger to the angle of the angl	HT-Strip (Pt are stable, I he person(s)  S  - & BANK D  n advance D  na, Bihta-802  DD No  DD Da  Bank I	, Ta, Grap Non-volat ) or equip Signature DETAILS Demand D 1106, Biha	hene) of instrument. ile, non-toxic and is non-radioactive ment.  e of the Guide/P.I/HoD/ Manag (With seal)  raft in favour of 'IIT Patna'	
Charges payable Postal A Analysis No. of He Amount GST@18	claration: I cert re. These samp  ure of the use at Patna Address: HoD, D s Type ( PXRD/G ours for charges % mount	tify that all the price le(s) won't cause rewith date  Department of Ch	y of sample with rovided samples any danger to the samples any danger to the samples and the samples are sent through a memistry, IIT Patron (RD):  FOR O	HT-Strip (Pt are stable, I he person(s)  S  - & BANK D  n advance D  na, Bihta-802  DD No  DD Da  Bank I	, Ta, Grap Non-volat ) or equip Signature DETAILS Demand D 1106, Biha	hene) of instrument. ile, non-toxic and is non-radioactive ment.  e of the Guide/P.I/HoD/ Manag	
Charges payable Postal A Analysis No. of He Amount GST@18 Total ar	claration: I cert re. These samp  ure of the use at Patna Address: HoD, D s Type ( PXRD/G ours for charges % mount	tify that all the price le(s) won't cause rewith date  Department of Ch	y of sample with rovided samples any danger to the any danger to the any danger to the any danger to the angle of the angl	HT-Strip (Pt are stable, I he person(s)  S  - & BANK D  n advance D  na, Bihta-802  DD No  DD Da  Bank I	, Ta, Grap Non-volat ) or equip Signature DETAILS Demand D 1106, Biha	hene) of instrument. ile, non-toxic and is non-radioactive ment.  e of the Guide/P.I/HoD/ Manag	

Contact Persons: Faculty In-Charge: Dr. Debajit Sarma

(Assistant Professor, Email ID: debajit@iitp.ac.in)

Staff In-Charge: M. Ravichandra

(JTS, Email ID: ravidp14@iitp.ac.in)