

# Indian Institute of Technology Patna

Date: 12.01.2022

## Corrigendum –I

**Name Of Work: Interior works for Incubation center of IIT Patna.**

NIQ No. IITP/IWD/AZ/07/2021; dated: 29.12.2021

Due to some technical glitch the item description for item no 5.2 & 5.3 of the B.O.Q document have been repeated with the item description of item no. 5.1 of B.O.Q. Therefore, the item description for 5.2 & 5.3 of the B.O.Q document/Price bid should be read as below for quoting of rates by the participating agencies.

**Item no. 5.2.**

Providing and fixing of 8 person cluster curvilinear workstation of Size 1500x600, Top 25 mm thick Prelaminated Particle Board Panel 45 MM thick With Finish Of Fabric and Raceway Dully Powder coated,with Side Storage with drawer , shutter & body Made 18 mm Prelaminated Particle Board Drawer with Telescopic channel.

Unit	Qty
No's	16

**&**

**Item No. 5.3**

Providing and fixing of single workstation of Size 4ft\*4ft, Top 25 mm thick Prelaminated Particle Board Panel 45 MM thick With Finish Of Fabric and Raceway Dully Powder Coated, With Side Storage with drawer , shutter& body Made 18 mm Prelaminated Particle Board Drawer with Telescopic channel

Unit	Qty
No's	03

**In place of**

Supplying and fixing of L-shape table for faculty in class room with portable MOBILE PEDESTAL made by small blocks which should have 25 mm thick pre lam work top with duck Nose bidding & 16 mm thick complete finish as per the manufacturer's recommendations and to the satisfaction of the Engineer's/ Architect's satisfaction. Standard size (20ft X 8ft X 1.4 ft)

Which is the item description for item no. 5.1 of the B.O.Q document/Price bid.

All other terms and conditions remain same.

U.S.F. 12/01/22  
Registrar

IIT Patna

K.P. 22.

Jay