


# INDIAN INSTITUTE OF TECHNOLOGY PATNA

## BIHTA, PATNA - 801106

Contact No.06115-233784

Email - registrar@iitp.ac.in



### **Auction Notice for disposal of Obsolete/Scraps/Unserviceable Items**

Ref. No.	:	IITP/S&P/Disposal/2022/.....
Publishing Date	:	26 <sup>th</sup> October 2022 (11 00 hrs.)
Bid Submission Start Date	:	26 <sup>th</sup> October 2022 (11 00 hrs.)
Last Date of Bid Submission	:	31 <sup>st</sup> October 2022 (17 00 hrs.)
Technical Bid Opening	:	31 <sup>st</sup> October 2022 (17 30 hrs.)

*Bid documents may be downloaded from institute's web site <https://www.iitp.ac.in>*

## **NOTICE FOR AUCTION**

Interest bidders are invited for the disposal of obsolete items on as is / where is basis through auction, as per the terms and conditions given below:

1. The interested bidders may visit the site at below given address for inspection of the **scraps** available in the Institute.

Office located at the address indicated below:

Indian Institute of Technology Patna, Kanpa Road, Bihta, Patna- 801 106

Contact Person: Deputy Registrar (Stores & Purchase), 2<sup>nd</sup> Floor, Admin Building

Ph: 06115- 233784

Email: [dr\\_snp@iitp.ac.in](mailto:dr_snp@iitp.ac.in)

2. The purchaser may inspect the materials in presence of Asst. Registrar (Stores & Purchase) on any working day between 11:00 AM to 1:00 PM before the last date for submission of quotation by prior appointment to satisfy themselves about the quality & condition of the materials offered. No complaint whatsoever will be entertained after the tenders are submitted or before or after the materials are lifted. No request for inspection after submission of the tender will be accepted.
3. The interested bidders may participate in auction and submit their bid after inspection of obsolete items in the proforma given at **Annexure-I** in a sealed envelope. The bidder must enclose copy of address proof (Voter I-Card/Aadhar Card/Driving Licence etc.) and PAN Card / GST along with the bid.
4. The rates may be quoted up to a maximum two digits after decimal. In case of more than two digits, the rate will be considered only up to two digits for financial evaluation.
5. List of items are given in “**Annexure-II**”.
6. Quotation Letter in sealed envelope marked “**QUOTATION FOR DISPOSAL OF OBSOLETE/SCRAP/UNSERVICEABLE ITEMS**” would be addressed to **The Registrar, IIT Patna, Bihta, Patna - 801106** latest by 03<sup>rd</sup> November 2022 at 17 00 HRS.
7. Tenderers should clearly quote their rates both in figures and in words. Any overwriting or erasing in the figures shall not be considered for acceptance of the rates offered by the bidder.
8. The reserve price of the scrap is **Rs. 2,00,000/- (Rupees Two Lakhs only)**.
9. A Security Deposit of **Rs. 50,000/- (Rupees Fifty Thousand only)** must accompanied with the quotation, without which the bid shall be summarily rejected.

10. The Security Deposit (SD) of the successful bidder shall be adjusted from the total payment. The tender will be awarded to the highest bidder. However, the competent authority is not bound to accept the highest bidder and may reject giving reasons there for.
11. The balance money less the Security Deposit (SD) already deposited should be paid within 07 days from the date of award letter by **The Registrar, IIT Patna, Bihta, Patna - 801106**. The balance amount may be presented to the **The Registrar, IIT Patna, Bihta, Patna - 801106** by way of Demand Draft in favour of "IIT Patna" payable at Patna, before delivery/lifting of the goods within the stipulated time and the material will be lifted within 07 days from the date of issue of award letter. In case the material is not lifted within the time specified, rent will be charged as decided by the Committee from purchaser for a further period of 07 days. The materials not so removed will be treated as abandoned lots and the Security Deposit (SD) and other sums paid for the lot will be forfeited without any reference to the purchaser. For such abandoned lots, IIT Patna reserves the right to re-sell.
12. The Security Deposit (SD) of unsuccessful bidders shall be returned within one month after the auction date without any interest.
13. Incomplete and unsigned quotations are liable to be rejected.
14. Bidder must enclose copy of address proof (Voter I-Card/Aadhar Card/Driving Licence etc.) and PAN CARD/ GST along with the bid.
15. The materials will be allowed to be lifted between 10:00 AM to 5:00 PM on any working day. No picking choosing or sorting will be allowed in the premises for the disposal lots. Proper cleaning of the area should be done by the purchaser after lifting the material. Cost of lifting of goods shall be borne by the successful bidder.
16. Mis-description or error in quantity will not invalidate a sale. A proportionate refund will be made to the purchaser when the number delivered is less than that have been specified in the auction.
17. The person authorized by the purchaser will be allowed to take delivery.
18. Vehicle number to lift the material should be provided on day prior to store section on behalf of **The Registrar, IIT Patna, Bihta, Patna - 801106**.
19. The IIT Patna reserves the right of withdrawing from the sale of any material or lots at any stage without assigning any reasons there for.
20. The address given in the tender shall be deemed to be the Purchaser's address and correspondence sent on that address shall be considered to have been delivered to the

purchaser. No claim will be entertained to the reason of forfeiture of the sum deposited in case the correspondence is returned back undelivered.

21. Sale of Hazardous waste / Scrap Batteries / Electronic waste: Scrap lots comprising of hazardous waste, batteries etc. shall be sold keeping in view the extant guidelines of Ministry of Environment & Forest. Prospective bidders of such lots of hazardous waste/scrap batteries/ e-waste should be in possession of registration, valid on the date of e-Auction and on the date of delivery, as recycler/ pre- processor agency.

Registrar, IIT Patna

# Indian Institute of Technology Patna

(Store & Purchase Section)

GSTIN (If available): \_\_\_\_\_ PAN CARD \_\_\_\_\_

**Quotation form for disposal of obsolete/unserviceable/furniture/scrap items.**

Name & Address of Bidder \_\_\_\_\_

Telephone No. \_\_\_\_\_

Details of Security Deposit (SD) \_\_\_\_\_

**I / We have inspected the obsolete items and am / are interested to purchase the same on as is where basis is. My/our offer for the items is given below:**

**Quote Rs. \_\_\_\_\_ (Rs. \_\_\_\_\_)**

**I/we have gone through all the terms and conditions given in the bid document and agree with the same. I/we understand that in the event of non-compliance of the terms and conditions of the bid my / our Security Deposit (SD) shall be forfeited by IIT Patna.**

**Signature of the bidder**

**To,**

**The Registrar  
IIT Patna, Bihta, Patna**

Annexure-II		
Sl. No.	Description	Qty
1	Color TV 29" Make :Samsung, Model 29A730	1
2	LG Refrigerator: Capacity: 422 Ltr. Model: GL478YLQ4	1
3	Bajaj 25 ltr shakti geyser Item code: GHA 150338	1
4	Sony LCD Colour Television 32" Model 32BX350	1
5	LG Washing Machine Model No. 8019 PV	1
6	Refrigerator (LG) - 320 ltrs Model: GL-335VVG4-SU	1
7	Deep Freezer, Capacity - 405 ltrs	1
8	Refrigerator	1
9	LG-TL Washing Machine T 72 CMG22P 6.2 KG Sl.No. 403NWC MO49395	1
10	Eureka Forbes 120 PSS Pure Chil Aquaguard Storage Cooler Cum Water Coler cum Purifier	1
11	LG-TL WASHING MACHINE MODEL T72CNG22P, 403NWF G046987, 403NWB046965, 403NWWPO45494	4
12	Aquaguard Aqua Sure Crystal	1
13	LG WASHING MACHINE MODEL 72CHG22P 6.2 KG	2
14	LG WASHING MACHINE MODEL 72CMG22P 6.2 KG LOAD	3
15	25 Liters Bajaj Geyser	8
16	Aquaguard Pure Chill Model: 120SS, Make: Eureka Forbes	4
17	VOLTAS Visi- Cooler Capacity: 320 ltr. Model: 5410536010D Serial: 000260	1
18	Water Purifier with cooler Model-ASCCP Capacity- 80/120 No if faucet-03 (01 Normal & 02 Cold)	1
19	LG-TL Washing Machine T 72 CMG22P 6.2 KG Sl.No. 403NWSR053900	1
20	Voltas 320 ltrs. Visi Coolar	1
21	Logitech Headphone USB H340	1
22	Bench top ph meter	1
23	water distillation unit (double distilled)	1
24	UPS of 3 Kva Capacity	1
25	DES 3026 24 Prot Managed Switch	2
26	2(a)For Departmental Connectivity, Model: Cisco 2960-48 Port	3
27	HP Laserjet P3005 dn	4
28	HP 1505n	1
29	HP Scanner G3010	1
30	ELNOVA LINE INTERACTIVE UPS WITH IN-BUILT BATTERIES. Model T640, Elnova UPS 600 VA Sl. No. T640-80923805, 06, 07, 08, Sl. No. T640-80927893, 04, 05, 06, Sl. No. 640-80923269, 70, 71, 72, Sl. No. T640-90229081, 82, 83, 84, Sl. No. T-640-80925073, 74, 75, 76, Sl. No. T640-80923741, 42, 43, 44, Sl. No. T640-90230969, 70, 71, 72, Sl. No. T640-90230869, 70, 71, 72, Sl. No. T640-90230961, 63, 64	8

31	Desktop: <b>Processor:</b> Intel 2 Duo E 8400 (3.0 Ghz, 3MB and 1333 MHz FSB) <b>Chipset:</b> Intel G 41, Intel GMA X4500, <b>Memory:</b> 4GB Dual Channel DDR2 SDRAM @ 800 MHz, HDD: 160 GB SATA-2 HDD, <b>Optical:</b> 22x DVD R/W, <b>Network:</b> 10/100/1000 Integrated NIC, <b>Monitor:</b> HCL 19 inch, 1440x900 (WXGA+), V. <b>Angle:</b> 170/160, Response <b>Time:</b> 5ms, Pixel pitch: 0.2835, <b>Brightness:</b> 300 Cd/m2, <b>Connector:</b> 15 pins D-SUB & DVI-D port), <b>Ports:</b> Integrated Gigabit Ethernet, RS232 Serial Port, USB Ports (2 Front+4 Back), <b>Input:</b> HCL Mechanical Keyboard, HCL Optical Mouse, <b>Operating System:</b> Windows Vista Business preloaded, <b>Warranty:</b> Three years comprehensive warranty, <b>OS Certification:</b> Windows, Redhat Linux	28
32	Desktop: <b>Processor:</b> Intel 2 Duo E 8400 (3.0 Ghz, 3MB and 1333 MHz FSB) <b>Chipset:</b> Intel G 41, Intel GMA X4500, <b>Memory:</b> 4GB Dual Channel DDR2 SDRAM @ 800 MHz, HDD: 160 GB SATA-2 HDD, <b>Optical:</b> 22x DVD R/W, <b>Network:</b> 10/100/1000 Integrated NIC, <b>Monitor:</b> HCL 19 inch, 1440x900 (WXGA+), V. <b>Angle:</b> 170/160, Response <b>Time:</b> 5ms, Pixel pitch: 0.2835, <b>Brightness:</b> 300 Cd/m2, <b>Connector:</b> 15 pins D-SUB & DVI-D port), <b>Ports:</b> Integrated Gigabit Ethernet, RS232 Serial Port, USB Ports (2 Front+4 Back), <b>Input:</b> HCL Mechanical Keyboard, HCL Optical Mouse, <b>Operating System:</b> Windows Vista Business preloaded, <b>Warranty:</b> Three years comprehensive warranty, <b>OS Certification:</b> Windows, Redhat Linux	8
33	Layer 2+ Managed switch 24 port, Model: CISCO LINKSYS SRW 2024	3
34	CISCO LINKSYS SRW 2048 (Layer 2+ managed switch 48 port)	3
35	Indoor Wireless Access, Model: CISCO 1131 AG	4
36	D-Link DES-1228P	2
37	Wireless Access Point Double Antenna (DWL-3200AP) Make: D-Link SIN:P1572A3003196, P1572A3003197, P1572A3003198, P1572A3003199, P1572A3003200, P1572A3003801, P1572A3003802, P1572A3003803,	8
38	D-Link DWL 3200 AP (wireless Access Point)	7
39	D-Link DES 1210-28P POE (24 Port 10/1000 Mbps POE Smart)	5
40	Access Switches Make : Cisco Model : WS-C2960S-24PS-L	1
41	Desktop Computer Make : Wipro Model : WSG6475W7	14
42	Desktop Computer Make : Wipro Model : WSG6475W7	4
43	HP Laser Jet 1606dn Printer	5
44	Canon MF 4820d	2
45	Dell Optilex- 780 Desktop as per purchase order	11
46	DELL Optiplex 780	25
47	Digital conductivity meter. Make: Metzer	4
48	Electronic Analytical balance 3D. Cap.310, Make: Citizen	2
49	Distilled water plant. Cap. 3lit	1
50	Magnetic Stirrer	4
51	UPS (Elnova, Line Interactive, 600 VA/360 W)	1
52	Swan Neck Water Tap Brass Chrome Plated three way type. Catalogue No.:1085/03	6

53	ECPC51043SEU Cyberscan PC 510 Branch PH/ Condrctivity/ TDS Meter with double junction PH electrode (ECFC7252201B)	6
54	10 KVA On-line UPS, Make: Perpetual power	1
55	Microprocessor Reserch Centrifuges ; Model: PR-24	1
56	IKA Magnetic Stirrer with hot plate Model CMAGHS7 Digital	1
57	Micro Centrifuge (Model-1020, Make: Tarsons, Technical name: Spinwin MC-01 Micro Centrifuge)	1
58	Hot Plate magnetic Stirrer Model: AREX Digital Make: Velp Scienticic Itely	2
59	2 KVA UPS with 30 minutes battery backup 4 sing 12 V 28/26 AH 8 nos SMF battery 96 v dc	1
60	Liquid Nitrozen dawas 50lt capacity each with one munud transfer device	4
61	<b>PREFIL TRATION KIT</b> <b>Product Code: SUREPROMI</b>	1
62	<b>IRON REMOVAL FILTER UNIT, Product code: PTIR100 LH</b>	1
63	<b>30 LTR PE TANK</b> <b>Product code: TANKPE 030</b>	1
64	Biopak UF Cartridge and others	1 Set
65	HP 1505n	1
66	Desktop: <b>Processor:</b> Intel 2 Duo E 8400 (3.0 Ghz, 3MB and 1333 MHz FSB) <b>Chipset:</b> Intel G 41, Intel GMA X4500, <b>Memory:</b> 4GB Dual Channel DDR2 SDRAM @ 800 MHz, HDD: 160 GB SATA-2 HDD, <b>Optical:</b> 22x DVD R/W, <b>Network:</b> 10/100/1000 Integrated NIC, <b>Monitor:</b> HCL 19 inch, 1440x900 (WXGA+), V. <b>Angle:</b> 170/160, Response <b>Time:</b> 5ms, Pixel pitch: 0.2835, <b>Brightness:</b> 300 Cd/m2, <b>Connector:</b> 15 pins D-SUB & DVI-D port), <b>Ports:</b> Integrated Gigabit Ethernet, RS232 Serial Port, USB Ports (2 Front+4 Back), <b>Input:</b> HCL Mechanical Keyboard, HCL Optical Mouse, <b>Operating System:</b> Windows Vista Business preloaded, <b>Warranty:</b> Three years comprehensive warranty, <b>OS Certification:</b> Windows, Redhat Linux	2
67	<b>Monitor 18.5 TFT (LG)</b>	1
68	CISCO LINKSYS SRW 2024P (Layer 2+ Managed switch 24 Port PoE)	1
69	D-Link DWL 3200 AP (wireless Access Point)	8
70	MEMSIC EK2120 eko outdoor Long Range wireless Monitoring System -2.4 GHz -4 eko Wireless Long Range sensor nodes (EN2120) -1 eko Gateway with web server (EG2120) -1 eko Base Unit (EB2110)	1
71	Acer Vertion M200-Q57SEE Intel Core i5-760, Q57,4GB ddr 111, 500GB SATA, 16xDVD R/W, Win 7 Pro 20" WTFT 03 Years Warranty	4
72	HP Laser Jet 1606dn Printer	3
73	APC UPS with Batter Backup 1100 VA	1
74	Samsung Galaxy S4 Model: I-9500	2
75	300 Mbps Wireless N Access Point, Model: TL-WA801ND,Make: TP-Link including Installation, Configuration & Testing of Wireless Access Point	1
76	Bajaj pedestal fan	3
77	Dell Optilex- 780 Desktop as per purches order	13
78	25 MHz Micro Controlled Based Oscilloscope, 2 channel 4 Trace Digital Readout with RS-232 Interface & Software. Model: Caddo 803, Make: Caddo (from the house of SCIENTECH), compete with all accessories.	5 nos.

<b>79</b>	25 MHz Micro Controlled Based Oscilloscope, 2 channel 4 Trace Digital Readout with RS-232 Interface & Software. Model : Caddo 803, Make : Caddo (from the house of SCIENTECH)	14
<b>80</b>	<b>Project Board</b>	<b>20</b>
<b>81</b>	Triple Output DC Power Supply, Model: ST 4077A, Make: Scientech, Sl. No.: 0509853, 0509856 to 0509874	20 Nos.
<b>82</b>	100 MHz Digital Storage Oscilloscope, Model: SMO10C, Sl. No. 800534, 800532, 800553, 800519, 800521	5 Nos.
<b>83</b>	100 MHZ Digital Storage Oscilloscope Model: SI7010C	5
<b>84</b>	Moving coil DC Voltmeter, 0-100 V	2
<b>85</b>	Moving coil DC Voltmeter, 0-300 V	15
<b>86</b>	Moving Iron AC Voltmeter, 0-10 V	2
<b>87</b>	Moving Iron AC Voltmeter, 0-50 V	3
<b>88</b>	Moving Iron AC Voltmeter, 0-150 V	1
<b>89</b>	Moving Iron AC Voltmeter, 0-300 V	6
<b>90</b>	Moving Iron AC Voltmeter, 0-600 V	4
<b>91</b>	Moving coil DC Ammeter, 0-2 A	5
<b>92</b>	Moving coil DC Ammeter, 0-5 A	2
<b>93</b>	Moving coil DC Ammeter, 0-10 A	5
<b>94</b>	Moving coil DC Ammeter, 0-15 A	1
<b>95</b>	Moving coil DC Ammeter 0-20 A	2
<b>96</b>	Moving Iron AC Ammeter, 0-2A	5
<b>97</b>	Moving Iron AC Ammeter, 0-5 A	10
<b>98</b>	Moving Iron AC Ammeter, 0-10 A	8
<b>99</b>	Moving Iron AC Ammeter, 0-15 A	2
<b>100</b>	Moving Iron AC Ammeter, 0-20 A	5
<b>101</b>	Single Phase portable Electrodynano meter type Dattmeter(5/10 A, 150/300/600V)	5
<b>102</b>	DC Power supply 0.64v/ 0.5 Amp	5
<b>103</b>	General Purpose Bread board Trainer AQOILA MAKE MODEL-AET-205A with in built 1 MHz Function Generator	13
<b>104</b>	“Scientific” 10 MHZ Function Generator Model: SM 5078 A, Sr. no. 1004400,1004403,1004410,1004401,1004406,1004402,1004408,1004396	7
<b>105</b>	Dissectible Machines with Conventional Instruments Comprising Code: 62-005	1
<b>106</b>	HCL MA 355 PRO :- Processor : Intel Core i5 6500 4 m Code. Mother board: OEM Mother board with Integrated graphics media. RAM : 4GB 1066 MHz or Higher DDR3 SD RAM. 4 DIMM Slot. Hard Disk : 500 GB SATA Hard Disk Drive. Monitor : 19" TFT Operating Systems: Window 7 Professional 964 Bit Version, with latest service pack preloaded License.	37
<b>107</b>	HP Laser Jet Printer P1606DN with Duplex and Network	1

<b>108</b>	<b>Dell™ Precision T5600 Chassis, 635W</b> <b>Processor</b> Intel(R) Xeon(R) Processor E5-2650 (Eight Core, 2.00GHz Turbo, 20 MB, 8.0 GT/Dell (TM) Precision T5600 635W 85 Percent Efficiency Power Supply TP <b>Memory</b> 16GB (4x4GB) DDR3 RDIMM Memory, 1600MHz, ECC <b>Hard Drive</b> 2* 900GB 10000RPM 2.5" SAS Hard Drive, PERC H310 RAID Controller, T5600 Dell (TM) Precision T5600 Heatsink, 8X Slimline DVD+/- RW Drive <b>Monitor</b> Dell (TM) Professional P1913S 19" Monitor with LED Back Light <b>Video Card</b> Graphics : 512MB AMD FirePro 2270 (DMS59) (DMS59 to 2DVI adapter) (ULGA108), No Internal Speaker HDD Bracket 2.5" SAS Keyboard + Mouse Dell (TM) MS111 USB Optical Mouse Dell (TM) KB212-B USB Entry Business Keyboard Warranty 5 Yrs Onsite Warranty	1
<b>109</b>	APC UPS 1100 VA (Warranty 2 years onsite)	1
<b>110</b>	WATMETER 75/150/300 V CURRENT 1/2 AMP	5
<b>111</b>	WATMETER 75/150/300 V CURRENT 2.5/5 AMP	5
<b>112</b>	WATMETER 75/150/300 V CURRENT 5/10 AMP	5
<b>113</b>	WATMETER 150/300/600 V CURRENT 10/20 AMP	5
<b>114</b>	APC 1.1 kva ups	2
<b>115</b>	APC 600VA UPS model BX600C-IN	1
<b>116</b>	Luminous ups 1000va	2
<b>117</b>	APC UPS with Batter Backup 1100 VA	1
<b>118</b>	50 Ltr. R.O with 40/80 Water Cooler	1
<b>119</b>	LG TL Washing Machine T72CHG22P, 6.2Kg S.No.- 403NWJ053900	1
<b>120</b>	M.S. Gate and Gril, Rode oxised	195 Kg
<b>121</b>	Pedestal Fans Make: Usha	4
<b>122</b>	united pressur cooker 16 lit.	1
<b>123</b>	Trade Mill/ Jogger 4 in 1: Jogging , Step-up, Laister and push ups. Brand: Foxexer(Model-3334-F)	1
<b>124</b>	T.T Board Stag International 1000Dx25 mm Top pre Laminated 100mm wheels includes 2 pcs.	2
<b>125</b>	Badminton Synthetic floor mat (15m x 7m x 4.5mm) Board: " STAG"	1
<b>126</b>	Treadmill 4 in 1 (Manual) with stepper, twister, dips and jogger (belt size 15.6 inches X 48 inches) foldable with calories, time, speed and pulse indicator	1
<b>127</b>	T.T. Table	2

<b>128</b>	APC 15 KVA UPS Model: SURTSKUXI S.No: IS1118001852, IS1118001859, IS1118001865, IS1118001868, IS1118001863, IS1118001872 (Including Battery)	1
<b>129</b>	Power Hacksaw machine	1
<b>130</b>	Welding machine	1
<b>131</b>	Two Slab Guarded Hot Plae Method, Model: PHT-03, M/c. No. 910026, Specifications: Central Heater of 100mm dia, Ring Heater 37 mm Wdith, glass wool insulation, Control Panel : Digital temperature indicator: 0-300 C, 1 C LC, Temp sensor: K-type thermocouple, Voltmeter: 0-200V, Ammeter: 0-2A, Dimmerstat: 0-230V	1 No.
<b>132</b>	<b>Preportional, Integral,PI, PD and P.I.D Controllers.</b>	<b>1</b>
<b>133</b>	Digital Universal Testing Machine Load Capacity:100 Kn Minimun indicater of Load:100N Accuracy of Speed:05-50 min/min continllousty Accuracy of Speed: I 1% or better Extension measurment: Based on cross - head movement 0-500x 0.1 mm Display: (1) Load/Stress. (2) Extension/Strein. (3) Speed & Other input data. Mains: 440 Volts A.C, 3 Ph Computer communication: Necemary Hardware & windows based Software will be Provided but without PC& Printer. Grips: (1) Wedge type of Tension test. (2)Flerural. (3) Comprossion Test Anvil. Spare Loadwell 10N Spare Loadwell 50N Spare Loadwell 100N Sapre Loadwell 2.5KN Spare Loadwell 50KN Spare Loadwell 100KN Brinell Hardware Tester (Model No:BHN-3000) (Specification: Leaflet enclosed)	<b>1</b>
<b>134</b>	10 KVA Online UPS Make: Perpetual power 12v, 65 AH, SMF	1
<b>135</b>	VRLA Battery with fully covered battery housing Input: 1 Phase Output: 1 Phase	15
<b>136</b>	OPTOMA make digital multimedia projector, model: es-522	1
<b>137</b>	Liberty make Imported wall mounted projection screen	1
<b>138</b>	Exhaust Gas	1
<b>139</b>	Smoke Meter	1
<b>140</b>	PUC-24 COLUMNPRINTER ASSEMBLY	1
<b>141</b>	Determination of Moment of Inertia using Tri filler suspension	1
<b>142</b>	Dead weight pressur Gauge	1
<b>143</b>	SIX AXIS ARTICULATED EDUCATIONAL ROBOT Model: ARISTO6 x T Free Supplies: Stabilizer 5KVA (For 03 robots)-01 Nos. Compressor for Gripper operation (For 03 robots)-01 Nos.	1
<b>144</b>	SCARA ROBOT	1
<b>145</b>	Comprehensive warranty per year @ 8% for 02 years	
<b>146</b>	SCORBOTER 4U Robotics Training System, includes - Mechanical Arm - Controller - SCORBASE Programming software - Power & Communication Cables - Use Manuals	1
<b>147</b>	Teach Perdant (Hand held)	1
<b>148</b>	Linear Conveyoor belt with Proximity Sensor, Gravity Pards feeder	1

<b>149</b>	Laser System for Micro Machine 1) Multi-Diode Pumped Fiber Laser. 2) Max. Output Power : 20w 3) Working Area : 300 mmx 300 mm. 4) CCTV Camera 5) Servo Control Drive 6) Z Axis : Manual 7) Servo Control Drive 8) Software : 1 Mark plus Accessories UPS Isolation transformer Vacuum Generator without Compressor for holding for the job with Dust Abstractor unit.	1
<b>150</b>	FLUKE DC to 20KHz, 30mA to 30A DC, 30mA to 20A AC Current Clamp having Sensitivity 100mV/A	1
<b>151</b>	Losses in Pipes Apparatus. Specification: Parallel G.I pipe arrangement, S.S. Tank capacity 40-60 litres, single phase 0.5 kW pump crompton make	1
<b>152</b>	Reciprocating pump test rig Specification: 1HP, Single cylinder reciprocating pump, 250 rpm (max) Sump tank (SS) capacity 100-150 litres, measuring tank (SS) capacity 40-80 litres	1
<b>153</b>	Unsteady State Heat Transfer Unit Specification: Hot water bath of 8-10 litres capacity (S.S), 1.5-2 kW fitted with an agitator (pump) motor capacity 0.5-1 HP, test specimen-1 SS, MS bar and 1 brass bar, thermocouples Control Panel: Digital temperature indicator: 0-200 C, 0.1 C LC	1
<b>154</b>	4-stroke single cylinder water cooled diesel engine test rig. Specification: With hydraulic dynamometer Fuel measuring arrangement, Cooling water arrangement Air intake measurement	1
<b>155</b>	4-stroke 4 cylinder petrol engine test rig Specification: With Eddy Current Dynamometer Digital RPM indicator Exhaust gas calorimeter. Fuel measuring arrangement. Air intake measuring arrangement	1
<b>156</b>	SURT 15 KUXI APC UPS BATCH 191211003030	1
<b>157</b>	Cyber power 600VA UPS	2
<b>158</b>	cyber power 600VA UPS	4
<b>159</b>	DELL Optiplex 780	24
<b>160</b>	Digital stop watch	8
<b>161</b>	Photocell (vacuum type) with base, holder and power supply	1
<b>162</b>	Spectrometer	4
<b>163</b>	Torsional balance set	1
<b>164</b>	Newton's rings microscope compact type with built in all arrangements for conducting expt. w/o light source	1
<b>165</b>	Magnetic field along axis of coil set (H coil, platform, compass, p.s.)	1
<b>166</b>	Stefan's constant set up	1
<b>167</b>	Stefan's Constant set up	4
<b>168</b>	Newton's Rings Experiment Kit (Superior Model) Make: INDOSAW Model: SK008	5
<b>169</b>	ROBOT Development Kit fire Bird universal Robotic Research Platform	2
<b>170</b>	Sharp GP2D12 infrared rang sensor (10cm to 80cm)	6
<b>171</b>	Zig Bee wireless module 100 mtrs for Robot	1

<b>172</b>	Laser diode module etc.	As actual on site
<b>173</b>	Mercury thermometer, 0-200 C range, 0.1 C resolution	As actual on site
<b>174</b>	Mercury vapour lamp	As actual on site
<b>175</b>	Glass prism	As actual on site
<b>176</b>	Glass slab, 4 in x 3 in x 1 in	As actual on site
<b>177</b>	Student transmission grating	As actual on site
<b>178</b>	Hollow glass prism	As actual on site
<b>179</b>	Magnifying glass (lens in a holder with handle), 1.5 in. diameter	As actual on site
<b>180</b>	Filter sheet (red, yellow, green, blue), 6 in. x 6 in.	As actual on site
<b>181</b>	Polariser sheet, 6 in. x 6 in.	As actual on site
<b>182</b>	High Voltage Cable for D8 for single Crystal XRD	1
<b>183</b>	Small Pieces of tested reinforcement bars and other metal scrap	Approx. 488 Kgs
<b>184</b>	Steel Storewell Home plain with three Shelves, One Hanging Rod & One tie bar	3
<b>185</b>	Godrej Table T-111	9
<b>186</b>	Godrej Chair CH-1004	2
<b>187</b>	Carpet	1
<b>188</b>	Neel Kamal chair 2060	4
<b>189</b>	plastic Moulded chair	120
<b>190</b>	Hostel Table	15
<b>191</b>	Visitor Chair	1
<b>192</b>	High Back Chair with revolving size seat (W490xD-510)mm Back-(H690x-W-500)	1
<b>193</b>	Godrej Chair PCH-4103	9